STANLEY.

SRA60/68 RAMMERS

December 2015




Stanley Rammers: Performance, Durability and Ease of Operation

FEATURES:

- 1. Large fuel tank with integrated filter
- 2. Height adjustable operating handle for improved ergonomics
- 3. Cylconic air filter for self cleaning effect and longer service intervals
- 4. Honda GX100 4 stroke engine
- 5. Robust gear housing box
- 6. Best in class forward motion due to lower center of gravity and finely tuned design
- 7. Extremely durable rammer show made of steel and high quality synthetics

- Stanley air filtration system ensures less service with its cyclonic filter
- No tools are needed to access the filtration system conveniently located in the front of the rammer



STANLEY

SRA60/68 RAMMERS

December 2015





ORDERING AND SPECIFICATIONS

| Model Number | SRA60 | SRA68 | |
|--|----------------|--------------|--|
| Full Model Number | SRA601H | SRA681H | |
| Engine | Honda GX100 | Honda GX100 | |
| Engine Starter | Recoil | Recoil | |
| Fuel Type | Gasoline | Gasoline | |
| Operating Weight lb. / (kg) | 138 / (62) | 151 / (68) | |
| Working Width with Extension Plates in. / (mm) | 11 / (280) | 11 / (280) | |
| Blows Per Minute | 680 | 680 | |
| Centrifugal Force lb. / (kN) | 2,600 / (11.5) | 2,900 / (13) | |
| Stroke in. / (mm) | 2.5 / (65) | 2.5 / (65) | |
| Maximum Compaction Depth in. / (cm) | 18 / (45) | 20 / (50) | |

Specifications and features are subject to change without notice.

ACCESSORIES

| Part Number | Description | Part Number | Description |
|-------------|---------------------------------|-------------|--|
| 75348 | Tamper Foot 6.5 in. / (16.5 cm) | 75359 | Tamper Foot 16 in. / (40 cm) |
| 75347 | Tamper Foot 8 in. / (20 cm) | 75367 | Tamper Foot Asymetric 13 in. / (34 cm) |
| 75346 | Tamper Foot 9 in. / (23 cm) | 75370 | Tamper Foot Extension 6 in. / (15 cm) |
| 75366 | Tamper Foot 11 in. / (28 cm) | 75085 | Transport Wheels |
| 75358 | Tamper Foot 13 in. / (33 cm) | | |

All Stanley Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specifications and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult Stanley Hydraulic Tools.