

# STANLEY

## HANDHELD CORDLESS TOOLS

## Selection, Innovation, Performance

Your One-Stop Shop  
for Hydraulic Tools  
and Attachments



**STANLEY**  
Infrastructure

INDUSTRIAL TOOLS & ATTACHMENTS

 PALADIN. **STANLEY.** **LABOUNTY.**  **PENGO.**

# CRIMPING & CUTTING UNTETHERED

For over 30 years, STANLEY Infrastructure has provided the electric utility industry with the most durable, most user friendly hydraulic tools. Our brand new line of cordless hydraulic tools build on that legacy by continuing to make work safer, less strenuous, and more efficient. This line consists of both 6 and 12 ton tools with application specific handle and head styles. Using extensive user input, these tools were developed to help utility workers complete the toughest tasks they face every day on the job.

#### General Features

- Weather-resistant tool bodies, which incorporate an innovative membrane that allows air in to cool the motor while keeping moisture and dust out. Linemen work in every imaginable weather condition, so should the tools they use.
- Critical components such as the controller board, motor switch, and battery connections are protected by additional moisture resistant technologies.

- These new STANLEY tools share into the premium 20v Max battery platform from DeWALT. This means that a single DeWALT battery can power crimping and cutting tools as well as any of the 100+ power tools currently in the 20v Max line.
- IntelLED™ system consists of a very bright ring of LEDs to provide worksite illumination as well as intuitive user feedback about crimp quality. During advance cycle, LEDs shine bright white to help eliminate shadows and minimize work errors. When a good crimp is made, LEDs will flash green. If a bad crimp is made, LEDs will flash red. Further functionality notifies user of maintenance status or tool malfunction.
- Tools are balanced at users hand, for reduced fatigue and improved work duration.
- On-board memory that records cycle count and crimp quality information. Users can access this information via USB cable with STANLEY's crimp software.

#### Inline Crimper Model IBC600

Time saving rocker trigger system with integrated lockout for safety. 360 Degree rotational head. Easily interchangeable jaws with quick release pin. ACSR cutting jaws will easily cut cables to 477 MCM. EHS cutting jaws power through up to 3/8" EHS guy wire.

#### SPECIFICATIONS

6 Tons Crimping Force  
CU/AL Connectors to 500 MCM  
HTAPS to 4/0-4/0  
Jaws Available: D3+O, D3+BG, Kearney+BG, ACSR, EHS  
Accepts Standard "W" Dies or Kearney Dies  
Available In Kit Form and As Bare Tool



**Different Jaw Configurations**  
D3+O  
D3+BG  
Kearney+BG  
ACSR  
EHS

**Quick Release Pin**  
Allows for easy jaw change.

**Double Action Rocker Trigger**  
Allows quick cycle time.

**Weather Resistant Protective Membrane**  
Allows electronics to be ventilated while keeping water, dust, and mud out of the crimper.

**Premium DeWALT 20V MAX Battery**  
Compatible with 100+ DeWALT tools.

**BRIGHT LED RING**



**WEATHER RESISTANT**



**DeWALT BATTERY PLATFORM**



CRIMPERS AND CUTTERS  
**CORDLESS  
CRIMPING TOOLS**

**STANLEY**  
Infrastructure

**STANLEY**  
Infrastructure

CRIMPERS AND CUTTERS  
**CORDLESS  
CUTTING TOOLS**

**Pistol Grip Crimper** Model PBD600

Flip-top four point dieless head. Head opening release pin permanently attached to avoid misplacement. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

**SPECIFICATIONS**

Compression Force: 6 Tons  
Crimping capacity: Lugs & Splices - Copper #8-500 MCM, Aluminum #8-300MCM, HTAPS - up to 4/0-4/0.  
Available In Kit Form and As Bare Tool



**Pistol Grip Crimper** Model PBD1200

One inch C head that accepts standard U type dies. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

**SPECIFICATIONS**

Compression Force: 12 Tons  
Crimping capacity: 636 MCM AL, 500 MCM CU, 556 ACSR.  
Head opening: 1"  
Available In Kit Form and As Bare Tool



**Pistol Grip Crimper** Model PBD1201

One-and-a-half-inch C head that accepts standard U type dies. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

**SPECIFICATIONS**

Crimping Force: 12 Tons  
Crimping Capacity: CU/AL Connectors Up to 750 MCM, ACSR - 556  
Head Opening: 1.5"  
Available In Kit Form and As Bare Tool



**Pistol Grip Crimper** Model PBD1202

One and a half inch Kearney style head that accepts WH2 and WH3 style dies. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

**SPECIFICATIONS**

Compression Force: 12 Tons  
Crimping capacity: 750 MCM AL+CU, 556 ACSR.  
Head opening: 1.5"  
Available In Kit Form and As Bare Tool



**Pistol Grip Cutter** Model PBCC40

One and a half inch (40mm) guillotine head. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

**SPECIFICATIONS**

Cutting Force: 8.8 Tons  
Cutting Capacity: Up to 1750 MCM CU/AL, Up to 1590 ACSR, Up to .7" Guy Wire or .5" EHS, Up to .75" Ground Rods  
Available In Kit Form and As Bare Tool



**Pistol Grip Crimper** Model PBCC65

Two and a half inch (65mm) scissor style head. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

**SPECIFICATIONS**

Cutting Force: 6.0 Tons  
Cutting Capacity: Up to 2.5" CU/AL  
Available In Kit Form and As Bare Tool



**Pistol Grip Crimper** Model PBCC85

Three and a quarter inch (85mm) guillotine head. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

**SPECIFICATIONS**

Cutting Force: 5.5 Tons  
Cutting Capacity: Up to 1250 MCM CU/AL, 3.3" Telecom Cable  
Available In Kit Form and As Bare Tool



## STANLEY INLINE CRIMPING TOOLS

Part No.	Description
IBC600B0	6 TON INLINE TOOL - D3/O JAWS
IBC600BG	6 TON INLINE TOOL - D3/BG JAWS
IBC600BKE	6 TON INLINE TOOL - KEARNEY/BG JAWS
IBC600BACSR	6 TON INLINE TOOL - ACSR CUTTER
IBC600BEHS	6 TON INLINE TOOL - EHS CUTTER
IBC600K02	6 TON INLINE TOOL KIT- D3/O JAWS - 2X 2 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KG2	6 TON INLINE TOOL KIT- D3/BG JAWS - 2X 2 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KE2	6 TON INLINE TOOL KIT- KEARNEY/BG JAWS - 2X 2 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600K05	6 TON INLINE TOOL KIT- D3/O JAWS - 2X 5 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KG5	6 TON INLINE TOOL KIT- D3/BG JAWS - 2X 5 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KE5	6 TON INLINE TOOL KIT- KEARNEY/BG JAWS - 2X 5 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KACSR2	6 TON INLINE TOOL KIT - ACSR CUTTER - 2X 2AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KACSR5	6 TON INLINE TOOL KIT - ACSR CUTTER - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KEHS5	6 TON INLINE TOOL KIT - EHS CUTTER - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KEHS2	6 TON INLINE TOOL KIT - EHS CUTTER - 2X 2AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG



D3 + O



D3 + BG



Kearney + BG



ACSR



EHS

## PISTOL GRIP CRIMPING & CUTTING TOOLS

PBD600B	6 TON PISTOL CRIMPING TOOL - FLIP TOP DIELESS HEAD - BARE TOOL
PBD600K5	6 TON PISTOL CRIMPING TOOL KIT - FLIP TOP DIELESS HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBD1200B	12 TON PISTOL CRIMPING TOOL - 1" C HEAD - BARE TOOL
PBD1200K5	12 TON PISTOL CRIMPING TOOL KIT - 1" C HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBD1201B	12 TON PISTOL CRIMPING TOOL - 1.5" C HEAD - BARE TOOL
PBD1201K5	12 TON PISTOL CRIMPING TOOL KIT - 1.5" C HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBD1202B	12 TON PISTOL CRIMPING TOOL - 1.5" KEARNEY HEAD - BARE TOOL
PBD1202K5	12 TON PISTOL CRIMPING TOOL KIT - 1.5" KEARNEY HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBCC40B	8.8T PISTOL CUTTING TOOL - 40MM/1.57" GUILLOTINE HEAD - BARE TOOL
PBCC40K5	8.8T PISTOL CUTTING TOOL KIT - 40MM/1.57" GUILLOTINE HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBCC65B	6.0T PISTOL CUTTING TOOL - 65MM/2.55" SCISSOR HEAD - BARE TOOL
PBCC65K5	6.0T PISTOL CUTTING TOOL KIT - 65MM/2.55" SCISSOR HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBCC85B	5.5T PISTOL CUTTING TOOL - 85MM/3.34" GUILLOTINE HEAD - BARE TOOL
PBCC85K5	5.5T PISTOL CUTTING TOOL KIT - 85MM/3.34" GUILLOTINE HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG

## BATTERIES & ACCESSORIES

DCB205	DEWALT 20V MAX* LI-ON 5AH BATTERY
DCB203	DEWALT 20V MAX* LI-ON 2AH LI-ION BATTERY
DCB115	DEWALT 20V ACCESSORY CHARGER
DCB119	DEWALT 12V MAX - 20V MAX LI-ION VEHICLE BATTERY CHARGER
92821	D3/O CRIMPING JAW
92822	D3/BG CRIMPING JAW
92823	KEARNEY CRIMPING JAW
92892	6 TON INLINE ACSR CUTTING JAWS
91662	REPLACEMENT ACSR BLADE
82604	6 TON INLINE TOOL - ACSR CUTTER
94814	6 TON INLINE EHS CUTTING JAWS
93045	REPLACEMENT EHS BLADE
82878	REPLACEMENT EHS BLADE KIT (2 BLADES, 1 SHOE, 1 WIRE GUIDE, HARDWARE, LOCTITE)
BB02	BUCKET BAG - PISTOL GRIP CORDLESS CUTTING & CRIMPING TOOLS
BB01	BUCKET BAG - INLINE CORDLESS CUTTING & CRIMPING TOOLS

## 7/16" Hex Drive Impact Wrench Kit DCF898P2

### SPECIFICATIONS

Up to 500 ft-lbs of max torque  
 Compact design of 8-13/16" in length and weighs only 7.2 lbs  
 Multi-speed control for a variety of applications (0-400/ 1,200/ 1,900 RPM)  
 Quick release 7/16" chuck and lift hook  
 LED light with 20 second delay for increased visibility



## 3/8" Square Drive Impact Wrench Kit DCF890M2

### SPECIFICATIONS

Compact and ergonomic with only 5.5" head length and 2 lbs (tool only)  
 DEWALT built brushless motor for increased efficiency and runtime  
 Max torque of 150 ft-lbs in a compact package for a variety of different fastening applications  
 3 LEDs and a belt clip for additional ease of use



## 1/2" Square Drive Impact Wrench Kit DCF899P2

### SPECIFICATIONS

Up to 700 ft-lbs of max torque and 1200 ft-lbs of max breakaway torque  
 Compact design of 8-13/16" in length and weighs only 7.2 lbs  
 Multi-speed control for a variety of applications (0-400/ 1,200/ 1,900 RPM)  
 1/2" Anvil with detent pin (also available in hog ring)  
 LED light with 20-second delay for increased visibility



## 1/4" 3-SPEED IMPACT DRIVER KIT DCF887M2

### SPECIFICATIONS

3-speed settings for optimized application versatility  
 Precision drive in speed 1 for precision applications and added control  
 3 LEDs with 20-second delay after trigger release, provide visibility without shadows  
 One-handed loading 1/4" hex chuck with easy grip sleeve, accepts 1" bit tips



**DEWALT****Rotary Hammer Kit** DCH481X2**SPECIFICATIONS**

6.1J's of impact energy provides corded power without the cord.

E-Clutch for maximum control in bind-up situations - A Perform and Protect feature.

SHOCKS - Active Vibration Control reduces vibration felt by the user at the handles.

DEWALT built brushless motor for all day runtime and durability

Two 20V/60V MAX\* FLEXVOLT 9.0Ah Batteries

**3-Speed Hammerdrill Kit** DCD996P2**SPECIFICATIONS**

DEWALT-built high power, high efficiency brushless motor delivers up to 75% more runtime vs. 18v NiCad brushed motors. XR Li-Ion batteries with fuel gauge provide 33% more capacity over standard packs

3-Mode LED provides lighting in dark or confined spaces up to 20X brighter than previous model

3-speed, all-metal high performance transmission optimizes tool-to-task for fast application speeds and improved run-time

**Cutoff Saw Kit** DCS373P2**SPECIFICATIONS**

Powerful 460 MWO, 3700 rpm motor delivers power and speed to make the most demanding cuts with ease

5-1/2" 30T carbide-tipped metal cutting blade quickly and cleanly cuts a variety of metallic construction materials

Sight-Line™ window provides for a clear view of the material.

High-strength steel shoe offers durability and resistance against chip build up

Optimized rubber overmolded comfort grip delivers optimal balance and control

**Band Saw Kit** DCS371P1**SPECIFICATIONS**

Centered handle position provides superior balance and ergonomics and allows for more accurate cuts and less user fatigue

LED work light with 20-second delay illuminates dark work surfaces for accurate cutting.

Blade tracking adjustment increases blade life by providing better blade tracking

**Reciprocating Saw Kit** DCS367P1**SPECIFICATIONS**

Compact 14.5" length fits in between studs & in other tight spots

Only 5 lbs. in weight (tool only)

Keyless 4-Position Blade Clamp for quick & easy blade changes & cutting versatility

Variable speed trigger delivers up to 2,900 SPM

Bright LED light to illuminate dark work areas

**Chainsaw Kit** DCCS670X1**SPECIFICATIONS**

Low Kick Back 16" Oregon® Bar and Chain for construction and outdoor cutting applications

Tool-Free chain tensioning and bar tightening knob for proper bar clamping force

Auto-Oiling for continuous lubrication. Quarter-turn oil cap for quick oil re-fills

Chain brake for kick back protection

Up to 70 cuts per charge\* \*on a 6" x 6" pressure treated pine wood

**Blower Kit** DCBL720P1**SPECIFICATIONS**

Up to 400 CFM of air volume at 90 MPH to clear debris

High-efficiency brushless motor maximizing run time and motor life innovative axial fan design that maximizes on air output and run time

Lightweight and ergonomic design maximizes control and minimizes stress on your arm

Low noise during operation - 61 dB(A).

Variable trigger and speed lock for full power control

**Grinder Kit** DCG412P2**SPECIFICATIONS**

8,000 rpm motor provides high-power for cutting and grinding applications

Quick-Change™ Wheel Release allows for tool-free wheel changes without the need for a wrench

Tool-free guard allows for quick and easy guard adjustments/positioning

2-finger trigger switch (w/ lock-off button) allows for convenient activation and easier gripping

2-position side handle offers greater control, comfort and versatility



### Cordless Cable Cutter DCE150D1

#### SPECIFICATIONS

Able to cut up to 750 MCM Copper and 1000 MCM Aluminum Cable  
Easily replaceable cutting blade

Padded shoulder strap with connection ring

Bright LED light to help illuminate cutting surface

Easily accessible forward/reverse switch



### Cordless ACSR Cable Cutter DCE155D1

#### SPECIFICATIONS

Cuts up to 1590 ACSR, 750 MCM Copper or 1000 MCM Aluminum  
Guillotine cutter maintains cable profile for easy connector installation

Bright LED light helps to illuminate cutting area

Field serviceable / replaceable blade

LED light with 20 second delay provides visibility in dimly lit spaces



### Portable Power Station DCB1800B

#### FEATURES

1800 Watt Portable Power Station

4 Port Parallel Charger

Four 20V MAX\* batteries in (including FLEXVOLT), 15 amps out

Batteries and extension cord sold separately

Runs most variable speed power tools



### 18V to 20V Adapter DCA1820

#### SPECIFICATIONS

Allows for use of 20V MAX\* lithium Ion batteries in most 18V DEWALT tools.

Requires use of 20V MAX\* DEWALT charger.

Do not use with premium DEWALT batteries in DC970 or DC759 tools.

This Adapter will not work with 20V/60V FLEXVOLT Batteries.



### Jobsite LED Spotlight DCL043

#### SPECIFICATIONS

3 bright LEDs illuminate dark jobsite work areas, 1 bright Red LED to preserve night vision

2 brightness settings provide flexibility for maximum light output or extended run-time

90-degree pivoting head provides versatility for lighting work surfaces

Distance - Can be seen up to 508 yards or 1,525 feet Pivoting head allows for hands-free operation



#### DEWALT CORDLESS TOOLS

Part No.	Description
DCH481X2	DEWALT 60V MAX* BRUSHLESS 1-9/16" SDS MAX COMBINATION HAMMER 9AH FV
DCF898P2	DEWALT 20V BL 7/16" IMPACT WRENCH KIT
DCF890M2	DEWALT 20V MAX* XR 3/8IN IMPACT WRENCH KIT
DCF899P2	DEWALT 20V BL 1/2IN IMPACT WRENCH KIT 5AH
DCF887M2	DEWALT 20V MAX* XR 1/4" 3-SPEED IMPACT DRIVER KIT (4.0AH)
DCS373P2	DEWALT 20V MAX* LITHIUM ION METAL CUTTING CIRCULAR SAW KIT 5AH
DCS371P1	DEWALT 20V MAX* BANDSAW KIT 5AH
DCCS670X1	DEWALT 60V 16IN CHAINSAW
DCG412P2	DEWALT 20V MAX* LITHIUM ION GRINDER TOOL KIT 5AH
DCS367P1	DEWALT 20V MAX* BRUSHLESS COMPACT RECIP SAW
DCBL720P1	DEWALT 20V BRUSHLESS BLOWER WITH 5 AH PACK
DCD996P2	DEWALT 20V MAX* XR LITHIUM ION BRUSHLESS 3-SPEED HAMMERDRILL KIT
DCE150D1	20V MAX* CORDLESS CABLE CUTTING TOOL KIT
DCE155D1	20V MAX* ACSR CABLE CUTTING TOOL KIT

#### BATTERIES & ACCESSORIES

Part No.	Description
DCL060	DEWALT 18V / 20V MAX* CORDLESS LED WORKLIGHT
DCL043	20V MAX* JOBSITE LED SPOTLIGHT
DCB609	DEWALT 20V/60V MAX* FLEXVOLT LI-ON 9AH BATTERY
DCB119	DEWALT 12V MAX - 20V MAX LI-ION VEHICLE BATTERY CHARGER
DCB1800B	1800 WATT PORTABLE POWER STATION AND PARALLEL BATTERY CHARGER
DCA1820	18V TO 20V ADAPTER
DCB090	12V/20V MAX* USB POWER SOURCE

# PERFORMANCE. PARTNERSHIP. SELECTION.



**STANLEY**  
Infrastructure

6430 SE Lake Rd.  
Portland, OR 97222  
833.723.1843  
[www.STANLEYinfrastructure.com](http://www.STANLEYinfrastructure.com)

